




**Catalogues**  
**CỬA GIÓ**

**AIR DIFFUSER AND GRILLES**



# AIR DIFFUSION


## CỬA GIÓ TRÒN KHUẾCH TÁN

- Sản phẩm được làm bằng nhôm chất lượng cao
- Thiết kế tiêu chuẩn ngành thông gió
- Đa dạng kích thước
- Sản phẩm được sơn tĩnh điện.
- Chất lượng sơn cao cấp đảm bảo bề mặt bóng mịn.



## PHẠM VI ÁP DỤNG

- Dùng trong hệ thống điều hòa.
- Dùng trong hệ thống thông gió.
- Cả phạm vi dân dụng và công nghiệp.




## DIMENSIONS - KÍCH THƯỚC

Model	D	C	B	H
D200/95	200	95	150	62
D250/145	250	145	193	62
D300/145	300	175	243	62
D350/195	350	195	300	62
D400/245	400	245	334	62
D450/245	450	295	386	62
D450/295	450	295	386	62
D500/345	500	345	430	62
D600/450	600	450	545	62



# AIR DIFFUSION

## CỬA GIÓ NAN BẦU DỤC 1 LỚP

- **Model** : SAG
- **Material** : Aluminum
- **Painting** : Powder coated white or other colours on request.
- **Feature** :
  - Frame thick : 1mm standard ( 0.8 or 1.2 mm on request)
  - The blades are fixed by Aluminum nut and can adjustable from 0~180 degree, giving required controllable airflow direction.
  - Can choose of vertical or horizontal front blades fitted to Customer's requirements.
  - Anodized or powder coated white colour. Other colours on request.
  - Fix using mounting frame or visible matching finish mounting screw.
  - Design to used for supply cooled/heated air.
- **Dimension** : Free dimension on request.
- **Ordering** :
  - SAG ( A x B )**
  - SAG-O(AxB) - Openable**
- **Accessories** : OBD, Filter net



## DIMENSIONS - KÍCH THƯỚC



Model	Face size	Neck size	Duct size	Wall size
SAG	AxB	(A-50)x(B-50)	(A-40)x(B-40)	(A-30)x(B-30)
SAG-O	AxB	(A-50)x(B-50)	(A-40)x(B-40)	(A-30)x(B-30)



# AIR DIFFUSION

## PERORMANCE - THÔNG SỐ KỸ THUẬT

Neck area(m2)	Neck size (mm)	Neck Vel.(m/s)	2	2.5	3	3.5	4	5	6
		Vel. Pressure (pa)	2.45	3.92	5.39	7.35	9.8	15.19	21.56
		Negative SP (pa)	8.624	11.76	16.66	21.56	29.4	45.08	65.66
0.025	250x100	V(m3/h)	180	225	270	315	360	450	540
	200x125	NC(dB)	-	-	11	17	23	30	39
0.03	300x100	V(m3/h)	216	270	324	378	432	540	648
	200x150	NC(dB)	-	-	12	19	25	31	41
0.04	400x100	V(m3/h)	252	315	378	441	504	630	756
	250x150	NC(dB)	-	-	14	21	26	34	43
0.045	350x125	V(m3/h)	288	360	432	504	576	720	864
	300x150	NC(dB)	-	-	16	23	28	36	45
0.05	350x150	V(m3/h)	360	450	540	630	720	900	1080
	250x200	NC(dB)	-	-	16	23	28	36	45
0.06	600X100	V(m3/h)	432	540	648	756	864	1080	1296
	400X150	NC(dB)	-	11	18	25	30	37	46
0.075	600X125	V(m3/h)	540	675	810	945	1080	1350	1620
	500X150	NC(dB)	-	11	18	25	30	37	46
0.09	700X125	V(m3/h)	648	810	972	1135	1296	1620	1944
	550X150	NC(dB)	-	13	21	26	32	39	47
0.1	750X125	V(m3/h)	720	900	1080	1260	1440	1800	2160
	660X150	NC(dB)	-	14	21	28	33	40	48
0.12	900X125	V(m3/h)	864	1080	1296	1512	1728	2160	2592
	750X150	NC(dB)	-	15	23	29	34	42	49
0.128	850X150	V(m3/h)	922	1152	1382	1612	1843	2304	2765
	600X200	NC(dB)	-	16	23	29	34	42	49
0.135	1200X125	V(m3/h)	972	1215	1458	1700	1944	2430	2916
	900X150	NC(dB)	-	16	23	29	34	42	50
0.18	900X200	V(m3/h)	1296	1620	1944	2268	2592	3240	3888
	750X250	NC(dB)	-	17	25	32	37	45	53
0.27	750X350	V(m3/h)	1944	2430	2915	3402	3888	4860	5832
	660X400	NC(dB)	-	17	25	32	37	45	53
0.36	1200X300	V(m3/h)	2592	3240	3888	4536	5184	6480	7776
	900X400	NC(dB)	12	19	26	33	39	47	55

## IMAGES - HÌNH ẢNH





# **Thai Chi International Corporation**

**CÔNG TY CỔ PHẦN QUỐC TẾ THÁI CHI**

Số 22, Tổ 4, Phường Cầu Diễn  
Quận Nam Từ Liêm, Hà Nội

ĐT: 043 76 333 88

Fax: 043 7633 183

E-mail: [thaichi@thaichi.vn](mailto:thaichi@thaichi.vn)

Website: [www.thaichi.vn](http://www.thaichi.vn)

[www.thaichimarket.com](http://www.thaichimarket.com)

